

AHD Camera interface Ford Transit SYNC4

Art. Nr: RC-FORD-SN4

DESCRIPTION

General

Via the NavInc NAVconnect camera interface it is possible to connect an aftermarket Front & Rear camera to the original SYNC4 system of Ford.

Features

- 1x Rear camera input
- 1x Front camera input (with auto switch OFF)
- Auto switch to rear camera input when car is in reverse
- Auto switch to front camera input when leaving reverse gear
- iPAS parking lines for Ford Transit with the 10" screen
- Adjustable parking lines via OSD menu
- OEM steering wheel button support (to activate front camera input manually)
- Support CVBS
- Support AHD (720P & 1080P)
- 3 Year warranty & Support

CAMERA FEATURES

Rear camera input with Parking guidelines

Rear camera input with parking guidelines option.

The guidelines makes it much easier to determine the distance to the object you are driving towards.

The guidelines are adjustable horizontal as well as vertical so the lines can be adjusted to the car.




Front camera input

Front camera input which will be selected after leaving the reverse gear.

Via the OSD menu you can select show time:

- 3 sec
- 5 sec
- 10 sec
- 15 sec



NOTES

- We recommend that the installation will be performed by a qualified specialist
- Check the other tabs for "Compatibility" - "Package contents" - "Product specifications"

LEGAL INFORMATION

The driver of the vehicle should not be inferred from the motion images. In many countries, watching movies while driving is prohibited. Therefore we accept no responsibility for material or personal injuries, directly or indirectly, due to installation of the interface modules.

Interface and Software basic information:

The NavInc interfaces are no navigation systems or screens to replace the navigation system. The NavInc interfaces enable the possibilities to connect different Audio/Video sources to the navigation system.

Manufacturers create adjusted software and hardware versions, options and enhancements which ensures that the compatibility of the products cannot be guaranteed 100%. Compatibility lists are based on customer feedback and experiences and will constantly be updated for optimal customer support.

REQUIREMENTS

AUDIO OUTPUT	The interface inserts ONLY video signals into the infotainment.
CVBS	Compatible with PAL & NTSC sources.
LVDS	Not available
SCREEN	Interface is compatible with the 10" SYNC4 system
FRONT CAMERA	<p>The front camera input will automatically switch after leaving the reverse gear.</p> <p>You can set the display time in seconds via the OSD menu (1-15 sec).</p>
OEM REAR CAMERA	The interface does switch back automatically to the OEM rear camera input when the reverse gear is engaged.
GUIDELINES	Static lines are available via the interface OSD menu
iPAS	iPAS option is available with the 10" SYNC4 screen (moveable gridlines)
PIP	Not available
REAR SELECT CAMERA INPUT	Interface will respond on CAN for cars with auto gearbox. When manual gear box please use the rear detection wire.
INSTALLATION	We recommend that the installation will be performed by a qualified specialist