


## **Heavy Duty AHD Quad Monitor 7.0"; 500cd; 1024x600; 12-32V**

**Art. Nr:** TFT-AHD-Q7D

---



### **DESCRIPTION**

---

Professional Heavy duty AHD Quad monitor

Support AHD720 & AHD1080 cameras, not support CVBS cameras

### **Features**


- 7" Digital TFT monitor - 500cmd - 1024x600
- Refined, but rugged mechanical design
- Anti-glare protective window sheet with low color distortion
- View image switching mode (Normal/Mirror)
- Various display mode (full/split1/split2/triple-pip/quad)
- Dimmer by CDS sensor (LCD brightness adjustment)
- Free Voltage in Input Power
- Built-in circuit protection chipset
- LED buttons to improve visibility of the operation in dark or night
- Automatic Parking Line display by Trigger On
- CE-mark
- FCC-mark
- 2 Year warranty & Support

### **EXCLUSIVE MONITOR FEATURES**

---

#### **Buttons**


Controle buttons on front



## **Guide Line**


Automatic Parking Line display by Trigger On

- Parking Guide Line Adjustable manually (Up & Down, Left & Right)
- Parking Guide Line displaying CH selectable
- Parking Guide Line display ON/OFF
- Parking Guide Lines adjustable in menu




## **OSD MENU**

Via the OSD menu is it possible to adjust different settings:




### **Trigger wire**

Each camera input has its own trigger wire:




### **Sunviser**

Included removeable sunvisor



### **Metal screw lock**

Water- & shock proof 4-pins mini din screw lock connector.



### **NOTES**


---

- We recommend that the installation will be performed by a qualified specialist
- Check also the other tabs for "Compatibility" - "Package contents" - "Product specifications"

## LEGAL NOTICE

---

Please check before purchase if it is aloud to install this camera and it wont affect your MOT.



## COMPATIBILITY

---

Universal use

Only for rear installation

## NOTES

---

- Camera input cable is metal srewlock. If you need a RCA input, please use our adapter CAM-HD-CONM
- CVBS signal: support PAL, SECAM & NTSC