

APPplay_CARplay & Android Auto set BMW/MINI iDrive CCC

Art. Nr: CP-BMW-CCCN

Upgrade your **BMW** vehicles equipped with the **iDrive CCC infotainment system** and experience wireless **CarPlay & Android Auto** without compromises – while retaining all original vehicle functions.

APPplay box, our smartphone solution, support wireless Carplay & Android AUTO integration to your existing multimedia system. You can run the most popular apps from your Phone (such as Spotify, Google maps, Waze, Whatsapp and more) with control everything via your original **steering wheel & iDrive** just like factory-installed systems.

In addition it allows you to mirror your Smartphone, add Front and/or Rear camera and USB playback.

Features

- Wireless Carplay
 - Wireless Android AUTO
 - Original Controller support
 - Original car button support
 - Audio via Bluetooth streaming*
 - Retain Original Hands-Free Kit & Microphone**
 - Voice control support (Siri & Google Assistant)
 - Rear view camera input (with dynamic parking lines)
 - Front view camera input
 - MirrorLink support***
 - USB media support***
 - 2 Years warranty
-
- For Mirrorlink you must have an AUX input in the car
 - Not compatible with responsive iDrive controller. Please use our Size UP BMW CCC

NOTES

*When the car does not have audio streaming, AUX input option in the car is required

**The car must have original Bluetooth carkit and streaming to support the original microphone.

***AUX input is required when you want to use the USB or Mirrorlink feature.

- Check the other product tabs for Compatibility and extra information.

Requirement

AUDIO OUTPUT	The interface inserts ONLY video signals into the infotainment. It is essential to have an Aux-in, when using audio from the APPplay box
VIDEO OUTPUT	Video goes via LVDS
CONTROL	You can control APPplay via the original iDrive controller
SCREEN	Interface is compatible with iDrive Business (6.5") & Professional (8.8")
OPEN HU	Not need to open the monitor
FRONT CAMERA	<p>The front camera input will automatically switch after leaving the reverse gear.</p> <p>You can set the display time in seconds via the OSD menu (1-15 sec).</p> <p>It is also possible to select the FRONT camera input manually</p>
OEM REAR CAMERA	The interface does not switch back automatically to the OEM rear camera input when the reverse gear is engaged (<i>with auto gear box</i>).
GUIDELINES	Static lines are available via the interface OSD menu
iPAS	iPAS option is NOT available

PIP	PiP option is available for original parking sensor overlay (Picture in Picture)
REAR SELECT CAMERA INPUT	Interface will respond on CAN for cars with auto gearbox. When manual gear box please use the rear detection wire.
INSTALLATION	We recommend that the installation will be performed by a qualified specialist
EXTRA NOTE	PiP function = split screen iDrive CCC controllers with resistance on the end of the iDrive menu (force feedback") --> APPplay control via iDrive not possible. You must use an external controller.